PATENT COOPERATION TRUATY

From th	e INTE	RNATIC	NAI.	BUREAU
FIOHH H	IC IIV I L		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2) Date of mailing (day/month/year) 20 February 2001 (20.02.01)	Commissioner US Department of Commerce United States Patent and Trademark Office, PCT 2011 South Clark Place Room CP2/5C24 Arlington, VA 22202 ETATS-UNIS D'AMERIQUE in its capacity as elected Office
International application No. PCT/EP00/06061	Applicant's or agent's file reference 407 WO
International filing date (day/month/year) 29 June 2000 (29.06.00)	Priority date (day/month/year) 30 June 1999 (30.06.99)
Applicant SAMARITANI, Fabrizio et al	
1. The designated Office is hereby notified of its election made in the demand filed with the International Preliminary 15 December in a notice effecting later election filed with the International Preliminary 2. The election X was was not was not was not was not Rule 32.2(b).	A Examining Authority on: 2000 (15.12.00) Inational Bureau on: date or, where Rule 32 applies, within the time limit under
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer S. Mafla

Telephone No.: (41-22) 338.83.38

Form PCT/IB/331 (July 1992)

Facsimile No.: (41-22) 740.14.35

EP0006061

2

PATENT COOPERATION TREA

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference FOR FURTHER see Notification of Transmittal of International Search Report									
407 WO	ACTION	20) as well as, where applicable, item 5 below.							
International application No. International filing date (day/month/year) (Earliest) Priority Date (day/month/year)									
PCT/EP 00/06061	29/06/2000	30/06/1999							
Applicant									
APPLIED RESEARCH SYSTEMS ARS HOLDING N.V.									
This International Search Report has been according to Article 18. A copy is being tra	n prepared by this International Searching Auth ansmitted to the International Bureau.	nority and is transmitted to the applicant							
This International Search Report consists X It is also accompanied by	of a total of sheets. a copy of each prior art document cited in this	report.							
Basis of the report									
 With regard to the language, the language in which it was filed, unl 	international search was carried out on the bas ess otherwise indicated under this item.	sis of the international application in the							
the international search w Authority (Rule 23.1(b)).	as carried out on the basis of a translation of the	ne international application furnished to this							
b. With regard to any nucleotide an was carried out on the basis of the	d/or amino acid sequence disclosed in the in sequence listing:	ternational application, the international search							
	nal application in written form.								
	mational application in computer readable form	n.							
	this Authority in written form. this Authority in computer readble form.								
the statement that the sub	sequently furnished written sequence listing de	oes not go beyond the disclosure in the							
_	s filed has been furnished. rmation recorded in computer readable form is	sidentical to the written sequence listing has been							
2. Certain claims were four	nd unsearchable (See Box I).								
3. Unity of invention is laci	king (see Box II).								
4. With regard to the title ,									
X the text is approved as su	bmitted by the applicant.								
the text has been establish	hed by this Authority to read as follows:								
5. With regard to the abstract,	handle of the state of the state of								
the text is approved as sulthe text has been establish within one month from the	omitted by the applicant. ned, according to Rule 38.2(b), by this Authorit date of mailing of this int inational search rip	y as it appears in Box III. The applicant may, ort. submit comments to this Authority.							
6. The figure of the drawing to be publi	· ·	<u></u>							
as suggested by the applic		None of th figur s.							
because the applicant faile	ed to suggest a figure.	_							
because this figure bett r	charact rizes the invention.								

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K9/19 A61K38/25

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $\begin{tabular}{ll} IPC & 7 & A61K \end{tabular}$

Documentation searched otherthan minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT						
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.				
A	EP 0 300 982 A (INDUSTRIA FARMACEUTICA SERONO S.P.A.,ROME (IT)) 25 January 1989 (1989-01-25) claims 1,2,11,16 page 3, line 5 - line 9	1-10				
A	DATABASE WPI Week 199244 Derwent Publications Ltd., London, GB; AN 1992-361895 '44! XP002124398 abstract & JP 04 264020 A (YAMANOUCHI PHARM. CO.LTD.,JP) 18 September 1992 (1992-09-18)	1-10				
Α	WO 92 18147 A (AFFINITY BIOTECH) 29 October 1992 (1992-10-29) claims 1,4,11,13,14,19,27	1-10				

Further documents are sted in the continuation of box C.	χ Patent family members are listed in annex.				
 Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed 	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family				
Date of the actual completion of the international search 1 November 2000	Date of mailing of the international search report 07/11/2000				
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–76) 340–2040, Tx. 31 651 epo ni, Fax: (+31–76) 340–3016	Authorized officer Scarponi, U				

cT/EP 00/06061

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	4 617 21 007 06081
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 96 19197 A (ASTRA) 27 June 1996 (1996-06-27) claims 1,25,29,30	1-10
A	WO 90 11070 A (PITMAN-MOORE) 4 October 1990 (1990-10-04) claims 1,2,7,13,14 page 9, line 14 - line 19	1-10
A	EP 0 417 930 A (SUMITOMO) 20 March 1991 (1991-03-20) cited in the application the whole document	1-10
A	EP 0 189 673 A (SUMITOMO) 6 August 1986 (1986-08-06) cited in the application the whole document	1-10
Α	US 5 385 738 A (Y. YAMAHIRA ET AL.) 31 January 1995 (1995-01-31) claims 1,2,5,9,14	1-10
A	WO 98 53844 A (APPLIED RESEARCH SYSTEMS) 3 December 1998 (1998-12-03) cited in the application claims	1-10
÷		

nation on patent family members

ernational Application No CT/EP 00/06061

				T CI/EF	00/06061
Patent document cited in search report		Publication date	Patent family member(s)		Publication date
EP 300982	Α	25-01-1989	IT 12242 AT 759 DE 38710 DK 4152 ES 20372 GR 30045 JP 11106 JP 18911 JP 60117 US 50175	46 T 10 A 88 A 78 T 96 T 30 A 82 C 11 B	26-09-1990 15-05-1992 17-06-1992 25-01-1989 01-04-1995 28-04-1993 27-04-1989 07-12-1994 16-02-1994 21-05-1991
WO 9218147	A	29-10-1992	AT 1830 AU 6685 AU 18966 CA 21082 CN 10661 DE 692297 DE 692297 EP 05807 ES 21366 GR 30317 IL 1016 JP 65071 MX 92018 PT 1004 US 56887 US 564616 US 56332 US 54440	09 B 92 A 83 A 79 T 78 A 70 T 13 A 13 A 16 A 61 A 26 A	15-08-1999 09-05-1996 17-11-1992 20-10-1992 18-11-1992 16-09-1999 23-12-1999 02-02-1994 01-12-1999 29-02-2000 22-02-1998 11-08-1994 30-10-1992 31-08-1993 18-11-1997 08-07-1997 27-05-1997 22-08-1995
WO 9619197	Α	27-06-1996	JP 105108; NO 9727; NZ 2981; PL 3208;	96 A 01 A 36 A 45 A 31 A 57 A 27 T 81 A 24 A 97 A	11-03-1999 10-07-1996 13-01-1998 27-06-1996 21-01-1998 15-10-1997 01-10-1997 19-06-1997 28-07-1998 20-10-1998 16-06-1997 30-08-1999 10-11-1997 05-11-1997 21-03-1997 24-06-1996
WO 9011070 .	A	04-10-1990	AT 9020 AU 63452 AU 527929 DE 6900189 DE 6900189 DK 46300 EP 046300 ES 204229 JP 450412 NO 91364 US 521957	29 B 90 A 98 D 98 T 51 T 51 A 92 T 22 T	15-06-1993 25-02-1993 22-10-1990 15-07-1993 23-09-1993 12-07-1993 02-01-1992 01-12-1993 23-07-1992 16-09-1991 15-06-1993

nation on patent family members

rnational Application No rCT/EP 00/06061

Patent do cited in sea			Publication dat		Pat nt family m mber(s)		Publication date
EP 4179	30	A	20-03-1991	JP	308393	1 A	09-04-1991
	_ •			CA	202417		01-03-1991
EP 1896	73	Α	06-08-1986	AT	5687		15-10-1990
				DE	357991		31-10-1990
				US	496352		16-10-1990
				JP	6214962	3 A	03-07-1987
US 5385	738	Α	31-01-1995	JP	6008421		13-05-1985
				JP	171350		27-11-1992
				JP	307204		15-11-1991
				JP	6009791		31-05-1985
				JP	180301		26-11-1993
				JP	501232		17-02-1993
				JP	6011271		19-06-1985
				JP	192812		12-05-1995
				JP	605765		03-08-1994
				JP	6123672		22-10-1986
				DE	348458		20-06-1991
				DE	348495		26-09-1991
				DE	348602		18-02-1993
				DE	3486029		13-05-1993
				EP	013928		02-05-1985
				EP	013821		24-04-1985
				EP	014025		08-05-1985
				US	502124		04-06-1991
				US	5081150		14-01-1992
				US	477409		27-09-1988
				US	4855134		08-08-1989
				AU	587443 5598386		17-08-1989
				AU MX	16933		16-10-1986 30-06-1993
				NZ	21573		30-03-1993
				JP	199998		08-12-1995
				JP	702568		22-03-1995
				JP	6223072		09-10-1987
W0 9853	844	Α	03-12-1998	- - EP	0880968	 В А	02-12-1998
				EP	0880969		02-12-1998
				ĀŪ	810629		30-12-1998
				BG	103884		31-07-2000
				BR	9809708		11-07-2000
				CN	1263469	9 T	16-08-2000
				EP	0984788	ВА	15-03-2000
				NO	995763		24-11-1999
				PL	33698		31-07-2000
				ZA	9804469	Δ Λ	08-01-1999

PATENT COOPERATION THEATY

PCT

REC'D 0 7 SEP 2001
WIPO PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	or ag	ent's file reference			See Notifica	ation of Transmittal of International
0407 W	O		FOR FURTHER AC	TION	Preliminary	Examination Report (Form PCT/IPEA/416)
Internation	al app	lication No.	International filing date (a	lay/month	/year)	Priority date (day/month/year)
PCT/EP	00/06	6061	29/06/2000			30/06/1999
Internation A61K9/1		ent Classification (IPC) or na	tional classification and IPC	;		
Applicant						- The state of the
APPLIE) RE	SEARCH SYSTEMS A	RS HOLDING N.V. et	al.		
		ational preliminary exami smitted to the applicant a		prepared	by this Inte	rnational Preliminary Examining Authority
2. This	REPC	ORT consists of a total of	6 sheets, including this	cover sh	eet.	
t (een a see R	eport is also accompanier amended and are the bas rule 70.16 and Section 60 exes consist of a total of	sis for this report and/or s of the Administrative I	sheets co	ontaining red	n, claims and/or drawings which have ctifications made before this Authority e PCT).
3. This i	report ⊠	contains indications rela	ting to the following item	ıs:		
11		Basis of the report Priority				
161		•	pinion with regard to nov	eltv. inve	entive step a	and industrial applicability
IV		Lack of unity of inventio		,,	on the property	and made that applicability
V	☒	Reasoned statement ur citations and explanatio	nder Article 35(2) with reg	gard to n ment	ovelty, inve	ntive step or industrial applicability;
VI		Certain documents cite	d			
VII	\boxtimes	Certain defects in the in	ternational application			
VIII	⊠	Certain observations on	the international applica	ation		
Date of sub	missio	n of the demand		Date of co	ompletion of t	his report
15/12/20	00			04.09.200	01	
	exami	address of the international ning authority:		Authorize	d officer	SECTION OF THE PROPERTY OF THE
<u>a</u>	D-80	pean Patent Office 298 Munich +49 89 2399 - 0 Tx: 523656	enmu d	Muller, I	l	The many of the control of the contr
		+49 89 2399 - 4465	•	Telephone	e No. +49 89	2399 8716

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/EP00/06061

 Basis of the report 	I. B	asis	of t	he i	rep	ort
---	------	------	------	------	-----	-----

1.	the and	With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): Description, pages:							
	1-9		as originally filed						
	Cla	ims, No.:							
	1-1	0	as originally filed						
2.	lanç	guage in which the i	uage, all the elements marked above were available or furnished to this Authority in the nternational application was filed, unless otherwise indicated under this item.						
		the language of pu	translation furnished for the purposes of the international search (under Rule 23.1(b)). blication of the international application (under Rule 48.3(b)). translation furnished for the purposes of international preliminary examination (under Rule						
3.			leotide and/or amino acid sequence disclosed in the international application, the y examination was carried out on the basis of the sequence listing:						
		contained in the in	ternational application in written form.						
		filed together with	the international application in computer readable form.						
		furnished subsequ	ently to this Authority in written form.						
		furnished subsequ	ently to this Authority in computer readable form.						
			the subsequently furnished written sequence listing does not go beyond the disclosure in oplication as filed has been furnished.						
		The statement that listing has been fur	the information recorded in computer readable form is identical to the written sequence nished.						
4.	The	amendments have	resulted in the cancellation of:						
		the description,	pages:						
		the claims,	Nos.:						
		the drawings,	sheets:						
5.			en established as if (some of) the amendments had not been made, since they have been eyond the disclosure as filed (Rule 70.2(c)):						

International application No. PCT/EP00/06061

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

- 6. Additional observations, if necessary:
- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Yes:

Claims 1-10

No:

Claims

Inventive step (IS)

Yes: No: Claims 1-10

Industrial applicability (IA)

Yes:

Claims 1-10

No: Claims

2. Citations and explanations see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted: see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

R Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents: 1.

D1: EP-A-0 189 673 D2: EP-A-0 417 930 D3: JP-A-58023631 D4: JP-A-62283931

D5: JP-A-04330280.

The documents D3-D5 were not cited in the international search report.

2. Novelty (Article 33(2) PCT)

All documents cited in the international search report disclose compositions comprising growth releasing factor (GRF). However, none of the disclosed compositions define compositions comprising human growth releasing factor in combination with saccharose.

Hence, the subject-matter of the claims 1-10 is considered meeting the requirement of novelty.

3. Inventive Step (Article 33(3) PCT)

The difference of the subject-matter underlying the present application and the documents cited in the international search report consists of the presence of specifically saccharose as stabilizing agent for the peptide hGRF in the pharmaceutical compositions.

The objective problem underlying the present subject-matter is therefore considered as providing an alternative stable composition comprising the peptide GRF in order to retain its biological activity.

The problem of stable hormone releasing factor (GRF) preparations is known in the art (cf. D1, p. 1, l. 3-7 and l. 33 - p. 2, l. 10).

As can be seen from the documents D3-D5, the use of saccharose as stabilizing

EXAMINATION REPORT - SEPARATE SHEET

agent for peptides is conventional in the art (the inactivation of contaminative viruses as defined in D4 is also considered as a form of stabilization).

3.1 The subject-matter of claim 1, defining stabilizing amounts of an additive conventional in the specific technical field is considered as obvious in view of the teaching of the prior art.

The dependent claims 2, 3 and 6 define solely further known technical features: D1 and D2 disclose lyophilization of the growth release factor; in D5, the additive is selected from a group of compounds, such that when used, saccharose is the sole stabilizer; buffering agents in combination with GRF are discloses in D1 (examples 1 and 2).

The determination of specific amounts of GRF and saccharose defined in the dependent claims 4 and 5 is considered as common practice of the person skilled in the art.

- 3.2 The independent claims 7-9 define technical features considered as conventional:
- The process according to claim 7 (process comprising said steps, which may include further steps) is known from D1, experiment 2, the distribution in containers being implicit.
- Forms of presentation as defined in claim 8 are known from D2 (packaging under sterile conditions, see examples 1-5, sterile filtration, dispense in vials); reconstitution as defined in claim 8 and 9 is known from D1 (reconstitution into a solvent or solution for injectables page 3, lines 27-28).
- A preferred pH of the solution between 3-4 is known from D2 (examples 1-5; pH 5) and D1 (example 1, pH 5).

It is noted that the choice of saccharose further seems to be obvious out of economical reasons and hence, none of the claims 1-10 appears to satisfy the requirement Art. 33(3) PCT.

4. Industrial Applicability (Article 33(4) PCT) The subject-matter of the claims 1-10 is industrially applicable in the pharmaceutic industry.

EXAMINATION REPORT - SEPARATE SHEET

Re Item VII

Certain defects in the international application (Art. 6 PCT)

The preparation of hGRF solutions at page 8, line 15 to page 9, line 3 is unclear: Saccharose is dissolved in 500 ml; bulk of peptide added to the saccharose solution is 2 g, the final weight of the solution is 400 g (considering a density of 1 for water).

Re Item VIII

Certain observations on the international application (Art. 6 PCT)

- The description discloses for 3 mg/vial of peptide an amount of saccharose of 20.52 mg/vial; for 10 mg/vial an amount of saccharose of 68.4 mg/vial (p. 6, Table 4). The definition of claim 5 does not define such assignment, leading to a lack of support by the description of this claim.
- 2. The reference back to 'any of claim 9' in the dependent claim 10 leads to unclarity.

PATENT COOPERATION TREATY

0 7. Sep. 2001

. A.G IBRIOIDE CO....

Corporate IP Dept.



NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

(PCT Rule 71.1)

Date of mailing

(day/month/year)

04.09.2001

Applicant's or agent's file reference

SERONO INTERNATIONAL S.A.

0407 WO

SUISSE

From the

HASSA, Jürgen

12. Chemin des Aulx

CH-1228 Plan-Les-Ouates

IMPORTANT NOTIFICATION

International application No. PCT/EP00/06061

International filing date (day/month/year) 29/06/2000

Priority date (day/month/year)

30/06/1999

APPLIED RESEARCH SYSTEMS ARS HOLDING N.V. et al.

INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

Authorized officer

Götz, K

European Patent Office D-80298 Munich

Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Tel.+49 89 2399-7381



5

1.

GRF-CONTAINING LYOPHILIZED PHARMACEUTICAL COMPOSITIONS

FIELD OF THE INVENTION

The present invention concerns Growth Hormone Releasing Factor (GRF) containing pharmaceutical compositions. More precisely, it concerns compositions of saccharose-stabilized GRF.

BACKGROUND OF THE INVENTION

In the early 1980's several groups isolated and characterized growth hormone releasing factor (GRF).

GRF (also called Somatorelin) is a peptide secreted by the hypothalamus, which acts on its receptor and can promote the release of growth hormone (GH) from the anterior pituitary. It exists as 44-, 40-, or 37-amino acid peptide; the 44-amino acid form may be converted physiologically into shorter forms. All three forms are reported to be active, the activity residing mainly in the first 29 amino acid residues. A synthetic peptide corresponding to the 1-29 amino acid sequence of human GRF [hGRF(1-29)], also called Sermorelin, has been prepared by recombinant DNA technology as described in European Patent EP 105 759.

20

25

30

15

Sermorelin has been used in the form of acetate for the diagnosis and treatment of growth hormone deficiency.

GRF has indeed a therapeutic value for the treatment of certain growth hormone related disorders. The use of GRF to stimulate the release of GH is a physiological method in promoting long bone growth or protein anabolism.

It is well known that the natural form of GRF can suffer from chemical degradation in aqueous solution, primarily of Asn at position 8, which results in reduced biological potency (Friedman, A.R. et al., *Int. J. Peptide. Protein Res.*, 37, 14-20, 1991; Bongers, J., et al., *Int. J. Peptide. Protein Res.* 39, 364-374, 1992).

The main hydrolytic reactions occurring in GRF are sensitive to pH and reported to be: rearrangement of Asp³, at pH 4-6.5, cleavage of the Asp³-Ala⁴ bond at pH 2.5-4.5, deamidation and rearrangement of Asn⁸ at pH above 7 (Felix A.M. et al., *Peptides*, editors: Giralt E. and Andreu D., pp 732-733, Escom Publishers 1991). Due to the combined degradation pathways, unstabilized aqueous solutions GRF are most stable in the pH range 4-5. Bongers et al. (Bongers et al., 1992) have shown that the deamidation reaction at Asn⁸ increases rapidly as the pH is raised above pH 3.

5

10

15

20

25

30

WO 98/53844 describes stable liquid pharmaceutical compositions of hGRF containing nicotinamide and propylene glycol.

Various workers have made analogues of GRF by substitution of amino acids into the natural GRF sequence to improve the chemical stability (Serono Symposia USA, 1996; Friedman, 1991). While modification can be an effective means to improve the stability and retain bioactivity, it may be undesirable due to altered immunogenicity, which could be a problem for chronic therapies such as growth hormone deficiency.

According to EP 189 673 and US 4,963,529 (Sumitomo Pharma Inc.) GRF formulations can be prepared by lyophilization and stabilized by human serum albumin or glycine. JP 3083931 and EP 417 930 describe a GRF-containing nasal preparation which is rendered low-irritating to nasal mucosa by adding sodium chloride and/or sugar alcohols, such as mannitol or sorbitol thereto.

In order that materials like hGRF be provided to health care personnel and patients, these materials must be prepared as pharmaceutical compositions. Such compositions must maintain activity for appropriate periods of time, must be acceptable in their own right to easy and rapid administration to humans, and must be readily manufacturable. In many cases pharmaceutical formulations are provided in frozen or in lyophilized form. In this case, the composition must be thawed or reconstituted prior to use. The frozen or lyophilized form is often used to maintain biochemical integrity and the bioactivity of the medicinal agent contained in the compositions under a wide variety of storage conditions, as it is recognized by those skilled in the art that lyophilized preparations

often maintain activity better than their liquid counterparts. Such lyophilized preparations are reconstituted prior to use by the addition of suitable pharmaceutically acceptable diluent(s), such as sterile water for injection or sterile physiological saline solution, and the like.

5

15

20

25

30

Human GRF is found on the market in lyophilized formulations stabilized with mannitol GEREF®, Serono.

DESCRIPTION OF THE INVENTION

We have now found that saccharose confers a better stability to lyophilized formulations of hGRF.

The main object of the present invention is to provide pharmaceutical compositions comprising a solid intimate mixture of human GRF and a stabilizing amount of saccharose.

A further object is to provide a process for the preparation of said pharmaceutical composition, comprising the step of lyophilizing an aqueous solution of the components in the containers. Another object is to provide a presentation form of said pharmaceutical composition comprising the said solid mixture hermetically closed in a sterile condition within containers suitable for storage before use and suitable for reconstitution of the mixture for injectable substances. Such containers may be suitable for single dose administration or for multidose administration. Such lyophilized compositions also preferably contain a bacteriostatic agent. The bacteriostatic agent is preferably m-cresol.

The lyophilized compositions of the invention may further comprise buffering agents. Any buffer which is appropriate for pharmaceutical preparations may be used, for example acetate, phosphate or citrate. The amount of buffering agent to be added to the preparation will be such that the pH of the lyophilized compositions is kept within the desired range after reconstitution. The desired pH range according to this invention is between 2 and 7, preferably between 4 and 6.

WO 01/01965 PCT/EP00/06061

Another object is to provide a solution of said solid mixture reconstituted into an injectable solution, such as water for injectable or physiological saline solution. Conveniently such reconstitution is carried out just before use for injection.

5

There is no critical limitation to the amount of saccahrose to be added to the active ingredient, but it will be appropriate to add from 1 to 200 mg/vial, preferably from 20 to 100 mg/vial of saccharose.

According to this invention the word "hGRF" is intended to cover any human GRF peptide, with particular reference to the 1-44, 1-40, 1-29 peptides and the corresponding amides thereof (containing -NH₂ at their end) or even a mixture thereof. They are all commercial compounds. The preferred hGRF is hGRF(1-29)-NH₂. There is no critical limitation to the amount of active ingredient present in each vial. Such amount is preferably comprised between 0.1 and 100 mg/vial.

The invention will now be described by means of the following Examples, which should not be construed as in any way limiting the present invention.

20

EXAMPLES

In order to evaluate the excipient's effect on the stability of the active ingredients, three formulations of recombinant hGRF have been prepared with various excipients: saccharose, mannitol and mannnitol/phosphate buffer. The filling volume was 2 ml. The compositions of the various formulations, which were prepared, are reported in Table 1.

Table 1

Formulation	hGRF	Mannitol	Saccharose	Phosphoric Acid	Sodium
	(mg/ml)	(mg/ml)	(mg/ml)	(mg/ml)	Hydroxide
1	5	18.2	-	-	-
2	5	18.2	-	0.98	q.s. to pH 4
3	5	-	34.2	-	-

WO 01/01965 PCT/EP00/06061

The preparation of the lyophilizate was performed by dissolving the hGRF bulk powder in the solutions containing the stabilizers. The obtained solutions were filtered and filled into glass vials and lyophilized. The study of the stability of such formulations stored at 40°C and 50°C for 4 weeks, was performed by determinations of pH and peptide purity.

5 The chromatogra

The chromatographic assay methodology (reverse phase HPLC) to evaluate the purity of hGRF was a gradient elution through a C-18 column, using a mobile phase (TFA/water/acetonitrile) at 1 ml/min and UV detection at 214 nm.

10 The pH was determined by a pHmeter on vials reconstituted with 5 ml of water for injection.

The results are summarized in Tables 2 and 3.

15

Table 2

Formulation				рН		
		40	°C		50°C	
	T=0	3 weeks	4 weeks	2 weeks	3 weeks	4 weeks
1	6.8	7.4	7.4	7.2	7.3	7.4
2	4.8	5.2	5.4	5.6	5.4	5.7
3	5.5	5.4	5.5	5.4	5.4	5.4

Table 3

Formulation			Peptide	Purity (%)		
		40	°C		50°C	+
	T=0	3 weeks	4 weeks	2 weeks	3 weeks	4 weeks
1	97.7	96.3	95.7	93.7	92.9	91.8
2	97.7	95.6	94.8	89.4	88.5	84.2
3	97.8	97.9	97.8	97.8	97.8	97.6

Results showed that the formulation containing saccharose presented a better stability profile when compared to the formulations containing mannitol or mannitol/phosphate buffer.

Additional formulations having the composition of formulation 3 described in Table 1 were manufactured in different containers (vials); the composition is reported in Table 4.

Table 4

Formulation	hGRF	Saccharose
	(mg/vial)	(mg/vial)
3a	3	20.5
3b	10	68.4

The formulations were stored at 5°C, 25°C and 40°C and tested for stability using the analytical methods described before (pH, purity and titre by RP).

Stability data have been generated up to 24 weeks; the results are reported in Tables 5 to 7.

Table 5

Formulation	pH							
	-,	5°C	25°C	40°C				
	T=0	4 weeks	4 weeks	4 weeks				
3a	4.95	5.03	5.02	5.12				
3b	4.96	5.09	5.06	5.13				

Table 6

Formulation 3a Storage Temperature = 40°C									
Test	0 Time	4 weeks	8 weeks	12 weeks	24 weeks				
Purity (%)	97,8	97,8	97,3	97,0	96,0				
Assay (mg/vial)	2,8	2,9	2,9	2,8	2,9				
pН	4,95	5,12	5,25	5,30	5,43				

Table 7

5

Formulation 3b Storage Temperature = 40°C									
Test	0 Time	4 weeks	8 weeks	12 weeks	24 weeks				
Purity (%)	97,9	97,9	97,4	97,1	95,1				
Assay (mg/vial)	9,8	9,8	10,0	9,8	8,8				
рН	4,96	5,13	5,16	5,38	5,53				

The stability of reconstituted solutions with 1.5 and 5 ml 0.3% m-cresol at 5 ± 3 °C and 25 ± 2 °C up to 1 month was also studied.

10 The stability data on the reconstituted solutions are reported in Tables 8 to 10.

Table 8

Formulation	Storage (°C)		рН					
		T=0	1 week	2 weeks	3 weeks	4 weeks		
3a	5°C	4.94	5.03	5.04	5.05	5.18		
3b	5°C	4.96	5.07	5.04	5.14	5.25		
3a	25°C	4.94	5.05	5.07	5.07	5.19		
3b	25°C	4.96	5.14	5.12	5.14	5.24		

Table 9

Formulation	Storage (°C)	Peptide Purity (%)						
		T=0	1 week	2 weeks	3 weeks	4 weeks		
3a	5°C	97.6	97.6	97.5	97.6	97.4		
3b	5°C	97.6	97.5	97.4	97.5	97.4		
3a	25°C	97.6	96.4	95.4	94.5	93.5		
3b	25°C	97.6	96.3	95.4	94.7	93.5		

Table 10

Formulation	Storage (°C)	Peptide Content (mg/vial)					
		T=0	1 week	2 weeks	3 weeks	4 weeks	
3a	5°C	2.9	3.0	2.5	3.0	2.9	
3b	5°C	9.6	10.0	9.1	10.0	9.9	
3a	25°C	2.9	2.9	2.8	2.8	2.8	
3b	25°C	9.6	10.0	9.3	9.5	9.4	

5

EXAMPLE OF PHARMACEUTICAL MANUFACTURING

Materials: extra pure saccharose DAB, Ph Eur, BP, NF (Merck); water for injectables.

10

As containers have been used vials DIN 2R and DIN 6R (borosilicate glass type I), rubber closures (Pharmagummi W1816 V50) and aluminum rings and flip-off caps (Pharma-Metal GmbH).

Preparation of hGRF solution containing saccharose: (for 200 vials containing each 3 or 10 mg hGRF).

Saccharose (17.1g) are dissolved into water for injectables (500 ml) in order to obtain the starting saccharose solution.

WO 01/01965 PCT/EP00/06061

The bulk of the hGRF 2 g) is added to the saccharose solution so as to obtain a final weight of 400 g the solution is filtered through a 0,22 μm Durapore sterile filter (Millipore).

5 Filling up and lyophilization

The vials are filled up with 0.6 and 2 ml of hGRF sterile solution, transferred to the freeze-dryer and lyophilized according to the following cycle:

• freezing: -25°C for 3 hrs

-15°C for 1 hr

10 -45°C for 3 hrs

• primary drying: -10°C for 13 hrs

secondary drying: from -10°C to +40°C in 8 hrs; +40°C till end of cycle

WO 01/01965 PCT/EP00/06061

CLAIMS

1. A pharmaceutical composition comprising a solid intimate mixture of human growth releasing factor (GRF) and a stabilizing amount of saccharose, alone or in combination with other excipients.

5

15

25

- 2. The pharmaceutical composition according to Claim 1, wherein the solid intimate mixture is a lyophilizate.
- 3. The pharmaceutical composition according to any of Claims 1 to 2, wherein the stabilizing agent is saccharose alone.
 - 4. The pharmaceutical composition according to any of claims 1 to 3, containing 3 or 10 mg/vial of hGRF.
 - 5. The pharmaceutical composition according to any of Claims 1 to 4 comprising 3 or 10 mg/vial of hGRF and 20.52 or 68.4 mg/vial of saccharose.
- 6. The pharmaceutical composition according to any of Claims 1 to 5 further comprising buffering agents.
 - 7. A process for preparing a pharmaceutical composition according to any of Claims 1 to 6, comprising the preparation of an aqueous solution of the components, the distribution within containers and the lyophilization in the containers.
 - 8. Forms of presentation of said pharmaceutical composition comprising the solid mixture according to any of Claims 1 to 6, hermetically closed in a sterile condition within a container suited for storage before use and for reconstitution of the mixture into a solvent or into a solution for injectables.
 - 9. A solution comprising the solid mixture according to any of Claims 1 to 6, reconstituted in a solvent or a solution for injectables.

10. The solution according to any of Claim 9, wherein the pH in comprised between 4 and 6.